

In The Claims:

Please amend the claims as indicated below:

1. (Currently amended) A system, comprising:

a processor; and

a memory comprising program instructions, wherein the program instructions are executable by the processor to implement a zone visualization mechanism configured to:

obtain zoning information for a plurality of Storage Area Network (SAN) objects in a SAN, wherein the SAN comprises one or more host systems, one or more storage devices, and one or more fabrics; and

in response to ~~selecting~~ selection of a particular SAN object in the SAN, display zoning information for the selected SAN object, wherein the zoning information for the selected SAN object indicates one or more zones of the SAN of which the selected SAN object is a member.

2. (Currently amended) The system as recited in claim 1, wherein the displayed zoning information indicates logical zone membership for the selected SAN object, wherein a SAN object is a logical member of a zone via relationship of the SAN object to one or more other SAN objects that are physical members of the zone.

3. (Currently amended) The system as recited in claim 1, wherein the displayed zoning information further indicates one or more zone aliases of the SAN of which the selected SAN object is a logical or physical member, wherein a zone alias represents a logical grouping of SAN objects, and wherein a SAN object is a logical

member of a zone alias via relationship of the SAN object to one or more other SAN objects that are physical members of the zone alias.

4. (Currently amended) The system as recited in claim 1, wherein the displayed zoning information for ~~each~~ a zone of which the selected SAN object is a member further indicates ~~another~~ one or more other SAN objects through which the selected SAN object is a logical member of the zone, wherein a SAN object is a logical member of a zone via relationship of the SAN object to one or more other SAN objects that are physical members of the zone.

5. (Currently amended) The system as recited in claim 4, wherein the indicated one or more other SAN objects ~~[[is]]~~ are user-selectable to display zoning information for the one or more other SAN objects, wherein the zoning information for the one or more other SAN objects indicates one or more zones of the SAN of which the one or more other SAN objects ~~is a~~ are logical or physical members.

6. (Original) The system as recited in claim 1, wherein each of the indicated one or more zones of the SAN of which the selected SAN object is a member is user-selectable to display zone-centric information for the selected zone, wherein the zone-centric information indicates one or more SAN objects that are members of the zone and relationships among the one or more SAN objects that are members of the zone.

7. (Original) The system as recited in claim 6, wherein the indicated one or more other SAN objects that are members of the zone are user-selectable to display zoning information for the one or more other SAN objects, wherein the zoning information for each of the one or more other SAN objects indicates one or more zones of the SAN of which the SAN object is a member.

8. (Original) The system as recited in claim 6, wherein the zone visualization mechanism is further configured to display the zone-centric information for the selected zone in graphical format or textual format.

9. (Original) The system as recited in claim 1, wherein the zone visualization mechanism is further configured to display the zoning information for the selected SAN object in the SAN in graphical format or textual format.

10. (Currently amended) A storage area network (SAN), comprising:

one or more host systems;

one or more storage devices;

a SAN fabric for coupling the host systems to the storage devices;

a system configured to implement a zone visualization mechanism, wherein the zone visualization mechanism is configured to:

obtain zoning information for a plurality of SAN objects in the SAN; and

in response to ~~selecting~~ selection of a particular SAN object in the SAN, display zoning information for the selected SAN object, wherein the zoning information for the selected SAN object indicates one or more zones of the SAN of which the selected SAN object is a member.

11. (Currently amended) The SAN as recited in claim 10, wherein the displayed zoning information indicates logical zone membership for the selected SAN object, wherein a SAN object is a logical member of a zone via relationship of the SAN object to one or more other SAN objects that are physical members of the zone.

12. (Currently amended) The SAN as recited in claim 10, wherein the displayed zoning information further indicates one or more zone aliases of the SAN of

which the selected SAN object is a logical or physical member, wherein a zone alias represents a logical grouping of SAN objects, and wherein a SAN object is a logical member of a zone alias via relationship of the SAN object to one or more other SAN objects that are physical members of the zone alias.

13. (Currently amended) The SAN as recited in claim 10, wherein the displayed zoning information for ~~each a~~ zone of which the selected SAN object is a member further indicates ~~another one or more other~~ SAN objects through which the selected SAN object is a logical member of the zone, wherein a SAN object is a logical member of a zone via relationship of the SAN object to one or more other SAN objects that are physical members of the zone.

14. (Currently amended) The SAN as recited in claim 13, wherein the indicated one or more other SAN objects [[is]] are user-selectable to display zoning information for the one or more other SAN objects, wherein the zoning information for the one or more other SAN objects indicates one or more zones of the SAN of which the one or more other SAN objects ~~is a~~ are logical or physical members.

15. (Original) The SAN as recited in claim 10, wherein each of the indicated one or more zones of the SAN of which the selected SAN object is a member is user-selectable to display zone-centric information for the selected zone, wherein the zone-centric information indicates one or more SAN objects that are members of the zone and relationships among the one or more SAN objects that are members of the zone.

16. (Original) The SAN as recited in claim 15, wherein the indicated one or more other SAN objects that are members of the zone are user-selectable to display zoning information for the one or more other SAN objects, wherein the zoning information for each of the one or more other SAN objects indicates one or more zones of the SAN of which the SAN object is a member.

17. (Original) The SAN as recited in claim 15, wherein the zone visualization mechanism is further configured to display the zone-centric information for the selected zone in graphical format or textual format.

18. (Original) The SAN as recited in claim 10, wherein the zone visualization mechanism is further configured to display the zoning information for the selected SAN object in the SAN in graphical format or textual format.

19. (Currently amended) A system, comprising:

means for obtaining zoning information for a plurality of Storage Area Network (SAN) objects in a SAN, wherein the SAN comprises one or more host systems, one or more storage devices, and one or more fabrics; and

means for displaying zoning information for a selected SAN object in the SAN in response to ~~selecting~~ selection of the object, wherein the zoning information for the selected SAN object indicates one or more zones of the SAN of which the selected SAN object is a member.

20. (Currently amended) The system as recited in claim 19, wherein the displayed zoning information indicates logical zone membership for the selected SAN object, wherein a SAN object is a logical member of a zone via relationship of the SAN object to one or more other SAN objects that are physical members of the zone.

21. (Currently amended) The system as recited in claim 19, wherein the displayed zoning information for each zone of which the selected SAN object is a logical member further indicates ~~another~~ one or more other SAN objects through which the selected SAN object is connected to the zone, wherein a SAN object is a logical member of a zone via relationship of the SAN object to one or more other SAN objects that are physical members of the zone, and wherein the system further comprises means for displaying zoning information for the one or more other SAN objects, wherein the zoning

information for the one or more other SAN objects indicates one or more zones of the SAN of which the one or more other SAN objects ~~is a~~ are logical or physical members.

22. (Original) The system as recited in claim 19, further comprising means for displaying zone-centric information for the indicated one or more zones of the SAN of which the selected SAN object is a member, wherein the zone-centric information for a zone indicates one or more SAN objects that are members of the zone and relationships among the one or more SAN objects that are members of the zone.

23. (Currently amended) A method, comprising:

obtaining zoning information for a plurality of Storage Area Network (SAN) objects in a SAN, wherein the SAN comprises one or more host systems, one or more storage devices, and one or more fabrics; and

displaying zoning information for a selected SAN object in the SAN in response to selecting selection of the SAN object, wherein the zoning information for the selected SAN object indicates one or more zones of the SAN of which the selected SAN object is a member.

24. (Currently amended) The method as recited in claim 23, wherein the displayed zoning information indicates logical zone membership for the selected SAN object, wherein a SAN object is a logical member of a zone via relationship of the SAN object to one or more other SAN objects that are physical members of the zone.

25. (Currently amended) The method as recited in claim 23, wherein the displayed zoning information further indicates one or more zone aliases of the SAN of which the selected SAN object is a logical or physical member, wherein a zone alias represents a logical grouping of SAN objects, and wherein a SAN object is a logical member of a zone alias via relationship of the SAN object to one or more other SAN objects that are physical members of the zone alias.

26. (Currently amended) The method as recited in claim 23, wherein the displayed zoning information for ~~each~~ a zone of which the selected SAN object is a member further indicates another SAN object through which the selected SAN object is a logical member of the zone, wherein a SAN object is a logical member of a zone via relationship of the SAN object to one or more other SAN objects that are physical members of the zone.

27. (Currently amended) The method as recited in claim 26, further comprising:

accepting user input selecting the indicated other SAN object; and

displaying zoning information for the other SAN object in response to the user input selecting the indicated other SAN object, wherein the zoning information for the other SAN object indicates one or more zones of the SAN of which the other SAN object is a logical or physical member.

28. (Currently amended) The method as recited in claim 23, further comprising:

accepting user input selecting one of the indicated one or more zones of the SAN of which the selected SAN object is a member; and

displaying zone-centric information for the selected zone in response to the user input selecting the one of the indicated one or more zones, wherein the zone-centric information indicates one or more SAN objects that are members of the zone and relationships among the one or more SAN objects that are members of the zone.

29. (Currently amended) The method as recited in claim 28, further comprising:

accepting user input selecting one of the one or more other SAN objects that are members of the zone; and

displaying zoning information for the one or more other SAN objects in response to the user input selecting the one of the one or more other SAN objects, wherein the zoning information for the selected SAN object indicates one or more zones of the SAN of which the SAN object is a member.

30. (Original) The method as recited in claim 28, further comprising displaying the zone-centric information for the selected zone in one of graphical format or textual format.

31. (Original) The method as recited in claim 23, further comprising displaying the zoning information for the selected SAN object in the SAN in one of graphical format or textual format.

32. (Currently amended) A computer-accessible storage medium comprising program instructions, wherein the program instructions are ~~configured~~ computer-executable to implement:

obtaining zoning information for a plurality of Storage Area Network (SAN) objects in a SAN, wherein the SAN comprises one or more host systems, one or more storage devices, and one or more fabrics; and

displaying zoning information for a selected SAN object in the SAN in response to ~~selecting~~ selection of the SAN object, wherein the zoning information for the selected SAN object indicates one or more zones of the SAN of which the selected SAN object is a member.

33. (Currently amended) The computer-accessible storage medium as recited in claim 32, wherein the displayed zoning information indicates logical zone membership for the selected SAN object, wherein a SAN object is a logical member of a zone via relationship of the SAN object to one or more other SAN objects that are physical members of the zone.

34. (Currently amended) The computer-accessible storage medium as recited in claim 32, wherein the displayed zoning information further indicates one or more zone aliases of the SAN of which the selected SAN object is a logical or physical member, wherein a zone alias represents a logical grouping of SAN objects, and wherein a SAN object is a logical member of a zone alias via relationship of the SAN object to one or more other SAN objects that are physical members of the zone alias.

35. (Currently amended) The computer-accessible storage medium as recited in claim 32, wherein the displayed zoning information for ~~each~~ a zone of which the selected SAN object is a member further indicates another SAN object through which the selected SAN object is a logical member of the zone, wherein a SAN object is a logical member of a zone via relationship of the SAN object to one or more other SAN objects that are physical members of the zone.

36. (Currently amended) The computer-accessible storage medium as recited in claim 35, wherein the program instructions are further ~~configured~~ computer-executable to implement:

accepting user input selecting the indicated other SAN object; and

displaying zoning information for the other SAN object in response to the user input selecting the indicated other SAN object, wherein the zoning information for the other SAN object indicates one or more zones of the SAN of which the other SAN object is a logical or physical member.

37. (Currently amended) The computer-accessible storage medium as recited in claim 32, wherein the program instructions are further ~~configured~~ computer-executable to implement:

accepting user input selecting one of the indicated one or more zones of the SAN of which the selected SAN object is a member; and

displaying zone-centric information for the selected zone in response to the user input selecting the one of the indicated one or more zones, wherein the zone-centric information indicates one or more SAN objects that are members of the zone and relationships among the one or more SAN objects that are members of the zone.

38. (Currently amended) The computer-accessible storage medium as recited in claim 37, wherein the program instructions are further ~~configured~~ computer-executable to implement:

accepting user input selecting one of the one or more other SAN objects that are members of the zone; and

displaying zoning information for the one or more other SAN objects in response to the user input selecting the one of the one or more other SAN objects, wherein the zoning information for the selected SAN object indicates one or more zones of the SAN of which the SAN object is a member.

39. (Currently amended) The computer-accessible storage medium as recited in claim 37, wherein the program instructions are further ~~configured~~ computer-executable to implement displaying the zone-centric information for the selected zone in one of graphical format or textual format.

40. (Currently amended) The computer-accessible storage medium as recited in claim 32, wherein the program instructions are further ~~configured~~ computer-executable to implement displaying the zoning information for the selected SAN object in the SAN in one of graphical format or textual format.